## DIAMONI

#### DIAGNOSTICS

## Safety Data Sheet

#### **1. Product and Company Identification**

Product	Identifier

Product Name:	Electrolyte Reference Solution
Product Code:	BK-A17657D
Recommended Use:	To provide calibration points for Na+, K+, Cl-, Ca++, tCO2.
	Diamond Diagnostics Inc. 333 Fiske Street Holliston, MA 01746
	508-429-0450 support@diamonddiagnostics.com
Emergency Telephone No:	508-429-0450

#### 2. Hazards Identification

#### **GHS-** Classification

Classification

Flammable, Corrosive, Irritant, Toxic, Environmentally Damaging, Health Hazard



#### Hazard Statements

H225Highly flammable liquid and vapor.H301 + H311 + H331Toxic if swallowed, in contact with skin or inhaled.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H331Toxic if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H335May cause respiratory irritation.H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.	
H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H331Toxic if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H335May cause respiratory irritation.H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.	
H314Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H331Toxic if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H335May cause respiratory irritation.H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.	
H317May cause an allergic skin reaction.H318Causes serious eye damage.H331Toxic if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H335May cause respiratory irritation.H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.	
H318Causes serious eye damage.H331Toxic if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H335May cause respiratory irritation.H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.	
H331Toxic if inhaled.H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H335May cause respiratory irritation.H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.	
H334May cause allergy or asthma symptoms or breathing difficulties if inhaled.H335May cause respiratory irritation.H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.	
H335May cause respiratory irritation.H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.	
H370Causes damage to organs.H400Very toxic to aquatic life.H411Toxic to aquatic life with long-lasting effects.Precautionary Statements	
H400     Very toxic to aquatic life.       H411     Toxic to aquatic life with long-lasting effects.       Precautionary Statements	
H411 Toxic to aquatic life with long-lasting effects.  Precautionary Statements	
Precautionary Statements	
P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking.	
P233 Keep container tightly closed.	
P240 Ground/bond container and receiving equipment.	
P241 Use explosion-proof electrical/ventilating/lighting//equipment.	
P242 Use only non-sparking tools.	
P243 Take precautionary measures against static discharge.	
P260 Do not breathe dust/fumes/gas/mist/vapors/spray.	
P264 Wash skin thoroughly after handling.	
P270 Do not eat, drink or smoke when using this product.	
P271 Use only outdoors or in a well-ventilated area.	
P272 Contaminated work clothing should not be allowed out of the workplace.	
P273 Avoid release to the environment.	
P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P285 In case of inadequate ventilation wear respiratory protection.	
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.	
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.	а
P304 + P340 + P311IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.	



DIAGNOSTICS

## Safety Data Sheet

P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
P307 + P311	IF exposed: Call a POISON CENTER or doctor/physician.
P321	Specific treatment (see on this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use for extinction.
P391	Collect spillage.
P403 + P233	Store in a well ventilated place. Keep container tightly closed.
P403 + P233	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to an approved waste disposal plant.

#### 3. Composition/Information on ingredients

Chemical Name	EC No.	Reach Reg. No.	CAS-No.	Weight %	Classification
5-Chloro-2-methyl-4-isothiazolin-3- one	247-500-7	Not available	26172-55-4	< 0.01%	Acute Tox. 4; Skin Corr, 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H314, H317, H334, H410
2-Methyl-4-isothiazolin-3-one	220-239-6	Not available	2682-20-4	< 0.01%	Acute Tox. 4; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; STOT SE 3; Aquatic Acute 1; H302, H314, H317, H331, H335, H400
Methanol	200-659-6	01-2119433307-44-XXXX	67-56-1	1%	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301 + H311 + H331, H370
Tris(hydroxymethyl)aminomethane	201-064-4	Not available	77-86-1	< 1.5%	Not available

#### 4. First Aid Measures

Eye Contact	Flush affected area with copious amount of water for 15 minutes. Seek medical aid if irritation persists.
Skin Contact	Wash affected area with copious amounts of soap and water. If irritation persists seek medical aid.
Inhalation	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.
Ingestion	Rinse mouth with water and seek medical attention.
Notes to Physician	Treat symptomatically.

#### 5. Fire-Fighting Measures

Flammable Properties	No available information
Flash Point	No available information
Suitable Extinguishing Media	Suitable for surrounding fire.
Hazardous Combustion Products	No available information
Protective Equipment and Precautions for Firefighters	Self-contained breathing apparatus and protective clothing.



## Safety Data Sheet

Personnel Precautions	Use personnel protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.
Methods for Containment & Cleaning	Soak up with non-combustible absorbent material. Rinse affected area with copious amounts of water. Dispose of in accordance with applicable federal, state and local laws and regulations.
Environmental Precautions	Do not let product enter drains.
7. Handling and Storage	
Handling	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition – No Smoking. Take measures to prevent buildup of electrostatic charge.
Storage	Keep container closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Non-combustible, corrosive hazardous materials.

#### Specific use

See Section 1 - Recommended Use

#### 8. Exposure Controls / Personnel

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
5-Chloro-2-methyl-4-isothiazolin-3-	Not listed	Not listed	Not listed
one			
26172-55-4			
2-Methyl-4-isothiazolin-3-one	Not listed	Not listed	Not listed
2682-20-4			
Methanol	TWA; 200.000000 ppm	TWA; 200.000000 ppm,	TWA; 200.000000 ppm, 260.000000
67-56-1	STEL; 250.000000 ppm	260.000000 mg/m3	mg/m3
			ST; 250.000000 ppm, 325.000000 mg/m3
Tris(hydroxymethyl)aminomethane	Not listed	Not listed	Not listed
77-86-1			

#### **Engineering Measures**

Showers Eye Wash Stations

Ventilation Systems

Personnel Protective Equipment Eye/Face Protection Skin Protection	Safety goggles with side-shields Wear protective gloves/clothing
Respiratory Protection	If exposure limits are exceeded or irritation is experienced; NISOH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required high airborne containment concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Complete suit protecting against chemicals, Flame resistant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Environment Exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. Physical and Chemical Properties

ppearance	Clear Liquid
)dor	No information available
Ddor Threshold	No information available
н	8-9
lelting Point	No information available
reezing Point	0°C

## DIAMOND

D	I A	G	N	S	Т	1	С	S

Initial Boiling Point	Approx. 100 °C
Flash Point	No available information
Evaporation Rate	No information available
Flammability (solid, gas)	No available information
Upper/Lower flammability or explosive limits	No available information
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Water Solubility	No information available
Partition coefficient: (n-octanol/water)	No information available
Auto-ignition temperature	No information available
Decomposition Temperature °C	No information available
Viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

#### 10. Stability and Reactivity

Reactivity	No information available
Chemical Stability	Stable
Incompatible Materials	Strong acids, bases and oxidizers
Hazardous Decomposition Products	No hazardous decomposition known
Hazardous Polymerization:	No available information
Conditions to avoid:	Avoid exposure to heat and light
Suggested Storage:	Store as recommended on product label

#### **11. Toxicological Information**

Acute Toxicity	No information available
Chronic Toxicity	Frequent and prolonged contact with the skin can cause irritation. May cause eye irritation. If ingested may cause discomfort, nausea or vomiting.
Target Organ Effects	No information available
Carcinogenicity	IARC: 2A – Group 2A: Probably carcinogenic to humans (magnesium nitrate hexahydrate)
	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

#### **12. Ecological Information**

Ecotoxicity Printed on: 4/4/2016 Toxic to fish, daphnia and other aquatic invertebrates. ECO# 7934 SOP16-4024F Rev.04 Effective Date: 04/01/16 Page 4 of 5

## Safety Data Sheet

# DIAMOND

DIAGNOSTICS

## Safety Data Sheet

13. Disposal Considerations				
Waste Disposal Method	In accordance with applicable federal, state, and local laws and regulations.			
Contaminated Packaging	In accordance with applicable federal, state, and local laws and regulations.			
14. Transport Information				
ΙΑΤΑ	No Restrictions			
DOR	No Restrictions			
15. Regulatory Information				
SARA 302 Components	No chemicals in this material are subject to reporting requirements of SARA Title III, Section 302.			
SARA 313 Components	The following components are subject to reporting levels established by SARA Title III, Section 313.			
SARA 311/312 Hazards	Acute Health Hazard, Chronic Health Hazard, Fire Hazard			
Massachusetts right to know components				
Magnesium nitrate hexahydrate Methanol	CAS-No. 13446-18-9 67-56-1	Revision Date: 1993-04-24 2007-07-01		
Pennsylvania right to know components				
Magnesium nitrate hexahydrate 2-Methyl-4-isothiazolin-3-one Methanol	CAS-No. 13446-18-9 2682-20-4 67-56-1	Revision Date: 1993-04-24 2007-07-01		
New Jersey right to know components				
Magnesium nitrate hexahydrate 5-chloro-2-methyl-4-isothiazolin-3-one Magnesium chloride 2-Methyl-4-isothiazolin-3-one	CAS-No. 13446-18-9 26172-55-4 7786-30-3 2682-20-4	Revision Date: 1993-04-24		
Methanol	67-56-1	2007-07-01		

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information	
Issuing Date	29-April-2008
Revision Date	30-November-2015
Revision Note	No information available
Recommended Restrictions	No Restrictions

#### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in text.