

Composition/Chemical Constituents:

Material Safety Data Sheet

Quality Assurance / Regulatory Affairs 333 Fiske Street Holliston, MA 01746

Product: DD-93002

Description:

Mission CliniCheck Assayed Chemistry Control Serum Level 2

Emergency Telephone No: 508-429-0450

Approximate % by weight

CAS#

This product contains no hazardous ingredients as defined by OSHA, or WHMIS.

Warning: Human source material. Treat as potentially infectious. Each donor unit used in the preparation of this product has been tested by an FDA approved method and found non-reactive for the presence of HBsAg and antibody to HIV. Because no known test method can offer complete assurance that Hepatitis B virus, Human Immunodeficiency Virus (HIV) or other infectious agents are absent, all human blood based products should be handled in accordance with good laboratory practices using appropriate precautions.

Physical Data				Fire and Explosion Data	
Boiling Point:	NA	Melting Point:	N/A	Flash Point: Method:	N/A
Vapor Pressure:	N/A	% Volatility:	N/A	Flammable Limits:	N/A
Evaporation Rate:	N/A	Solubility In Water:	Soluble	Extinguishing Media:	Suitable for surrounding fire
Specific Gravity:	N/A	Appearance:	Off white Lyophilized Powder	Special Fire Fighting Procedures:	Self-contained breathing apparatus and protective clothing.
Odor:	N/A	рН:	N/A		protective dotting.
Freezing Point:	N/A				

Precau	ution for Safe Handling and Use	Health and Hazard Data	
Handling Precautions:	Avoid inhaling, ingesting and contact with eyes and skin. Do not pipette by mouth.	Threshold Limit Value (TLV):	N/A
	,	LD50:	N/A
In Case of Spill:	Soak up with non-combustible absorbent material Clean area with paper towels and a 1:10 dilution of a 5% hypochlorite (bleach) solution. Wear protective gloves at all times.	Signs-Symptoms of Overexposure:	Frequent and prolonged contact with the skin can cause irritation. May cause eye irritation. If ingested may cause discomfort, nausea or vomiting.
Disposal Method:	In accordance with applicable Federal, state, and local laws and regulations.		May cause irritation to mucous membranes and upper respiratory tract. May cause an allergic reaction
Protective Controls:	Protective clothing, gloves (nitrile recommended) and Safety goggles with side shields.		to certain sensitive individuals.
	Personal Protective Equipment		

	Emergency and Fist Aid Procedure	Reacti	vity Data
Skin:	Wash affected area with copious amounts of soap and water. If irritation persists seek medical aid.	Stability:	Stable
Eye Contact:	Flush affected area with copious amounts of water for	Incompatibility (materials to avoid):	N/A
_ye	at least 15 minutes.	Hazardous Decomposition Products:	Will not occur
Inhalation:	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Seek	Hazardous Polymerization:	N/A
	medical aid if cough or other symptoms appear.	Conditions to avoid:	Avoid exposure to heat and light.
Ingestion:	Rinse mouth with water, drink large quantities of water and seek medical aid.	Suggested Storage:	Store as recommended on product labeling.

Transportation Care	Other Information
No Restrictions	The information contained herein is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Diamond Diagnostics shall not be held liable for any changes resulting from handling or contact with
	the above product. See reverse side of invoice or packaging slip for additional terms and conditions of sale.

N/G = Not Given N/A = Not Applicable or Not Available