

1. Product and Company Identification

Product Identifier

Product Name:	Creatinine Reagent Kit
Product Code:	BK-472525D (BK-472525AD contains Sodium Hydroxide, Sodium Phosphate Tribasic Dodecahydrate, Sodium Dodecyl Sulphate, and Ethylene Glycol) (BK-472525BD contains Picric Acid)
Recommended Use:	For the quantitative determination of creatinine in serum and urine.
<u>Company</u>	Diamond Diagnostics Inc. 333 Fiske Street Holliston, MA 01746
Company Phone Number Email	508-429-0450 support@diamonddiagnostics.com
Emergency Telephone No:	508-429-0450

2. Hazards Identification

GHS- Classification

Classification

Corrosive, Flammable, Irritant, Health Hazard, Toxic



	\mathbf{v} \mathbf{v} \mathbf{v} \mathbf{v}		
Hazard Statements			
H228	Flammable solid.		
H290	May be corrosive to metals.		
H301 + H311	Toxic if swallowed. Toxic in contact with skin.		
H302 + H332	Harmful if swallowed, Harmful if inhaled.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H402	Harmful to aquatic life.		
H412	Harmful to aquatic life with long-lasting effects.		
Precautionary Statements			
P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.		
P234	Keep only in original container.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical/ventilating/lighting//equipment.		
P260	Do not breathe dust/fume/gas/mist/vapors/spray.		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.		
P264	Wash skin thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P271	Use only outdoors or in a well-ventilated area.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor//if you feel unwell.		
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
P302 + P352	IF ON SKIN (or hair): Wash with plenty of water.		
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with		
	water/shower.		
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON		
	CENTER or doctor/physician if you feel unwell.		
Printed on: 4/5/2016	ECO# 7934 SOP16-4254F Rev.02 Effective Date: 04/01/16 Page 1 of 5		
1 mileu 011. 4/3/2010	LOO# 7354 50F 10-4254F NEV.02 LITEUTIVE Date. 04/01/10 Faye 1 015		



DIAGNOSTICS

Safety Data Sheet

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 P314 Get medical advice/attention if you feel unwell. P321 Specific treatment (see ... on this label). P330 Rinse mouth. P332 + P313 If skin irritation occurs: Get medical advice/attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P361 Remove/Take off immediately all contaminated clothing. P362 Take off contaminated clothing. P363 Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant to extinguish. P370 + P378 Absorb spillage to prevent material damage. P390 P403 + P233 Store in a well ventilated place. Keep container tightly closed. P405 Store locked up. Store in corrosive resistant/... container with a resistant inner liner. P406 P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/Information on ingredients

Chemical Name	EC No.	Reach Reg. No.	CAS-No.	Weight %	Classification
Sodium Hydroxide	215-185-5	01-2119457892-27- XXXX	1310-73-2	< 5%	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 3; H290, H314, H318, H402
Sodium Phosphate Tribasic Dodecahydrate	231-509-8	Not available	10101-89-0	< 5%	Skin Corr. 1B; Eye Dam. 1; H314
Sodium Dodecyl Sulphate	205-788-1	Not available	151-21-3	< 0.5%	Flam. Sol. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 3; H228, H302 + H332, H315, H318, H335, H401, H412
Ethylene Glycol	203-473-3	01-2119456816-28- XXXX	107-21-1	< 1.0%	Acute Tox. 4; STOT RE 2; H302, H373
Picric Acid	201-865-9	Not available	88-89-1	< 3%	Expl. 1.1; Acute Tox. 3; Skin Sens 1; H201, H301 + H311 + H331, H317

4. First Aid Measures

5. Fire-Fighting Measures	
Notes to Physician	Treat symptomatically
Ingestion	Rinse mouth with water, drink large quantities of water and call a physician.
Inhalation	Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical aid.
Skin Contact	Flush affected area with copious amounts of water.
Eye Contact	Flush affected area with copious amounts of water.

Flammable Properties	No information available
Flash Point	No information available
Suitable Extinguishing Media	Suitable for surrounding fire
Hazardous Combustion Products	Explosive when dry
Protective Equipment and Precautions for Firefighters	Self-contained breathing apparatus and protective clothing
Further Information	No information available

DIAMOND

DIAGNOSTICS

Safety Data Sheet

6. Accidental Release Measures

Personnel Precautions	Use personnel protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.
Methods for Containment & Cleaning	Soak up non-combustible absorbent material. Rinse affected area with copious amounts of water. Dispose of in accordance with applicable federal, state, and local laws and regulations.
Environmental Precautions	Do not let product enter drains.
7. Handling and Storage	
Handling	Avoid contact with skin and eyes. Avoid formation of dust aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventative fire protection. For precautions see section 2.2.
Storage	Keep container closed in a dry and well-ventilated place.
Specific use	See Section 1 – Recommended Use

8. Exposure Controls / Personnel

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide 1310-73-2	C; 2 mg/m3	TWA; 2.000000 mg/m3	C; 2.000000 mg/m3
Sodium Phosphate Tribasic Dodecahydrate 10101-89-0	Not listed	Not listed	Not listed
Sodium Dodecyl Sulphate 151-21-3	Not listed	Not listed	Not listed
Ethylene Glycol 107-21-1	C; 100.000000 mg/m3	Not listed	Not listed
Picric Acid 88-89-1	TWA; 0.100000 mg/m3	TWA; 0.100000 mg/m3	TWA; 0.100000 mg/m3 ST; 0.300000 mg/m3

Engineering Measures

Showers Eye Wash Stations Ventilation Systems

Personnel Protective Equipment	
Eye/Face Protection	Safety goggles with side-shields
Skin Protection	Wear protective gloves/clothing
Respiratory Protection	If exposure limits are exceeded or irritation is experienced; NISOH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required high airborne containment concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Complete suit protecting against chemicals, Flame resistant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Environment Exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

Appearance	Clear liquid (BK-472525AD), Clear yellow liquid (BK-472525BD)
Odor	No information available
Odor Threshold	No information available
рН	1-2 (BK-472525BD)
Melting Point	No information available
Freezing Point	0°C
Printed on: 4/5/2016	ECO# 7934 SOP16-4254F Rev.02 Effective Date: 04/01/16 Page 3 of 5



DIAGNOSTICS

Initial Boiling Point	Approx. 100 °C
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Upper/Lower flammability or explosive limits	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Water Solubility	Miscible
Partition coefficient: (n-octanol/water)	No information available
Auto-ignition temperature	No information available
Decomposition Temperature °C	No information available
Viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

10. Stability and Reactivity

Reactivity	No information available
Chemical Stability	Stable
Incompatible Materials	Strong Acids, Bases, and Oxiders
Hazardous Decomposition Products	No information available
Hazardous Polymerization:	Will not occur
Conditions to avoid:	Keep away from incompatible material
Suggested Storage:	Store as recommended on product label

11. Toxicological Information

Acute Toxicity	No information available
Chronic Toxicity	Irritation of affected area.
Target Organ Effects	No information available
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
	NTP: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
	OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
12. Ecological Information	

Ecotoxicity

No information available

Safety Data Sheet

DIAMOND

DIAGNOSTICS

Safety Data Sheet

13. Disposal Considerations Waste Disposal Method In accordance with applicable federal, state, and local laws and regulations. **Contaminated Packaging** In accordance with applicable federal, state, and local laws and regulations. **14. Transport Information** ΙΑΤΑ Not regulated DOR Not regulated **15. Regulatory Information** SARA 302 Components No chemicals in this material are subject to reporting requirements of SARA Title III, Section 302. SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313. CAS-No. **Revision Date:** Ethylene Glycol 107-21-1 2007-07-01 88-89-1 2007-07-01 Picric Acid SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard Massachusetts right to know components CAS-No. Revision Date: 2007-03-01 Sodium Hydroxide 1310-73-2 Sodium Phosphate Tribasic Dodecahydrate 10101-89-0 2007-03-01 Ethylene Glycol 107-21-1 2007-07-01 88-89-1 2007-07-01 Picric Acid Pennsylvania right to know components CAS-No. Revision Date: Sodium Hydroxide 1310-73-2 2007-03-01 Sodium Phosphate Tribasic Dodecahydrate 10101-89-0 2007-03-01 Sodium Dodecyl Sulphate 151-21-3 Ethylene Glycol 107-21-1 2007-07-01 Picric Acid 88-89-1 2007-07-01 New Jersey right to know components CAS-No. Revision Date: Sodium Hydroxide 1310-73-2 2007-03-01 2007-03-01 Sodium Phosphate Tribasic Dodecahydrate 10101-89-0 Sodium Dodecyl Sulphate 151-21-3 Ethylene Glycol 107-21-1 2007-07-01 Picric Acid 88-89-1 2007-07-01 California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information	
Issuing Date	13-September-2012
Revision Date	30-November-2015
Revision Note	No information available
Recommended Restrictions	No Restrictions

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in text.