

### **Product and Company Identification**

**Product Identifier** 

**Product Name:** CO2 Alkaline Reagent

**Product Code:** BK-472515D

Recommended Use: For the quantitative determination of tCO2 in serum or plasma.

**Company** Diamond Diagnostics Inc.

> 333 Fiske Street Holliston, MA 01746

**Company Phone Number** 508-429-0450

support@diamonddiagnostics.com **Email** 

**Emergency Telephone No:** 508-429-0450

#### 2. Hazards Identification

#### **GHS- Classification**

Classification Flammable, Corrosive, Irritant, Toxic, Environmentally Damaging, Health Hazard



#### **Hazard Statements**

H226 Flammable liquid and vapor. Harmful if swallowed. H302

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer. Very toxic to aquatic life. H400

Toxic to aquatic life with long-lasting effects. H411 Harmful to aquatic life with long-lasting effects. H412

#### **Precautionary Statements**

Printed on: 6/10/2022

P201 Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. P202 P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. Do not breathe dust/fumes/gas/mist/vapors/spray. P260 Avoid breathing dust/fume/gas/mist/vapors/spray. P261 P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P285 In case of inadequate ventilation wear respiratory protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.



P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use ... for extinction.

P391 Collect spillage.

P403 + P233: Store in a well ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

### 3. Composition/Information on ingredients

| Chemical Name                              | EC No.    | Reach Reg. No. | CAS-No.    | Weight % | Classification   |
|--|-----------|----------------|------------|----------|--|
| 5-Chloro-2-methyl-<br>4-isothiazolin-3-one | 247-500-7 | Not available  | 26172-55-4 | < 0.04%  | Acute Tox. 4; Skin Corr, 1B;<br>Eye Dam. 1; Resp. Sens. 1;<br>Skin Sens. 1; Aquatic Acute 1;<br>Aquatic Chronic 1; H302, H314,<br>H317, H334, H410                     |
| 2-Methyl-4-<br>isothiazolin-3-one          | 220-239-6 | Not available  | 2682-20-4  | < 0.04%  | Acute Tox. 4; Acute Tox. 3; Skin<br>Corr. 1B; Eye Dam. 1; Skin<br>Sens. 1; STOT SE 3; Aquatic<br>Acute 1; H302, H314, H317,<br>H331, H335, H400                        |
| 2,6-Dimethyl-1,3-<br>dioxan-4-ol acetate   | 212-579-9 | Not available  | 828-00-2   | < 0.01%  | Flam. Liq. 3; Acute Tox. 4; Skin<br>Irrit. 2; Eye Irrit. 2A; Carc. 2;<br>STOT SE 3; Aquatic Acute 3;<br>Aquatic Chronic 3; H226, H302,<br>H315, H319, H335, H351, H412 |

## 4. First Aid Measures

**Eye Contact** Flush affected area with copious amount of water.

**Skin Contact** Wash affected area with copious amounts of soap and water.

**Inhalation** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Seek medical aid.

**Ingestion** Rinse mouth with water, drink large quantities of water and seek medical aid.

Notes to Physician Treat symptomatically.

## 5. Fire-Fighting Measures

Flammable Properties No information available

Flash Point 27°C (80°F)

Suitable Extinguishing Media Suitable for surrounding fire.

Hazardous Combustion Products No information available

Protective Equipment and Precautions for Firefighters

Printed on: 6/10/2022

Self-contained breathing apparatus and protective clothing.



#### 6. Accidental Release Measures

Personnel Precautions Use personnel protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate

personnel to safe areas.

Methods for Containment & Cleaning Soak up with non-combustible absorbent material. Rinse affected area with copious amounts of

water. Dispose of in accordance with applicable federal, state, and local laws and regulations.

**Environmental Precautions** Do not let product enter drains.

## 7. Handling and Storage

**Handling** Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of

ignition – No Smoking. Take measures to prevent buildup of electrostatic charge.

Storage Keep container closed in a dry and well-ventilated place. Containers which are opened must be

carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Non-combustible,

corrosive hazardous materials.

Specific use See Section 1 – Recommended Use

## 8. Exposure Controls / Personnel

| Chemical Name                     | ACGIH TLV  | OSHA PEL   | NIOSH IDLH |
|-----------------------------------|------------|------------|------------|
| 5-Chloro-2-methyl-4-isothiazolin- | Not listed | Not listed | Not listed |
| 3-one                             |            |            |            |
| 26172-55-4                        |            |            |            |
| 2-Methyl-4-isothiazolin-3-one     | Not listed | Not listed | Not listed |
| 2682-20-4                         |            |            |            |
| 2,6-Dimethyl-1,3-dioxan-4-ol      | Not listed | Not listed | Not listed |
| acetate                           |            |            |            |
| 828-00-2                          |            |            |            |

Engineering Measures Showers

Eye Wash Stations Ventilation Systems

**Personnel Protective Equipment** 

Eye/Face ProtectionSafety goggles with side-shieldsSkin ProtectionWear protective gloves/clothing

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced; NISOH/MSHA approved respiratory

protection should be worn. Positive-pressure supplied air respirators may be required high airborne containment concentrations. Respiratory protection must be provided in accordance with current

local regulations.

Hygiene Measures Complete suit protecting against chemicals, Flame resistant antistatic protective clothing. The type

of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

Environment Exposure Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. Physical and Chemical Properties

Appearance Pink Liquid

Odor No information available
Odor Threshold No information available

**pH** Approx. 9

Melting Point No information available

Freezing Point 0°C

Initial Boiling Point Approx. 100 °C

Printed on: 6/10/2022 ECO# 9908 SOP16-4250F Rev.04 Effective Date: 05/24/2022 Page 3 of 5



Flash Point 27°C (80°F)

Evaporation RateNo information availableFlammability (solid, gas)No information availableUpper/Lower flammabilityNo information available

or explosive limits

Vapor pressure21 mm Hg @ °25 %Vapor densityNo information availableRelative densityNo information available

Water Solubility Miscible

Partition coefficient: No information available

(n-octanol/water)

Auto-ignition temperature

Decomposition Temperature °C

No information available

No information available

No information available

Explosive properties

No information available

No information available

No information available

## 10. Stability and Reactivity

**Reactivity** No information available

Chemical Stability Stable

Incompatible Materials No information available

Hazardous Decomposition Products No information available

Hazardous Polymerization: Will not occur

Conditions to avoid: Avoid exposure to heat and light

Suggested Storage: Store as recommended on product label

### 11. Toxicological Information

Acute Toxicity

Chronic Toxicity

Irritation of affected area.

Target Organ Effects

No information available

Carcinogenicity IARC: 2A – Group 2A: Probably carcinogenic to humans (magnesium nitrate hexahydrate)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

## 12. Ecological Information

**Ecotoxicity** Toxic to fish, daphnia and other aquatic invertebrates.



## 13. Disposal Considerations

Waste Disposal Method In accordance with applicable federal, state, and local laws and regulations.

Contaminated Packaging In accordance with applicable federal, state, and local laws and regulations.

## 14. Transport Information

IATA No Restrictions

**DOR** No Restrictions

## 15. Regulatory Information

SARA 302 Components

No chemicals in this material are subject to reporting requirements of SARA Title III, Section 302.

SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard, Fire Hazard

Massachusetts right to know components

CAS-No. Revision Date: Magnesium nitrate hexahydrate 13446-18-9 1993-04-24

Pennsylvania right to know components

CAS-No. Revision Date: Magnesium nitrate hexahydrate 13446-18-9 1993-04-24

2-Methyl-4-isothiazolin-3-one 2682-20-4 2,6-Dimethyl-1,3-dioxan-4-ol acetate 828-00-2

New Jersey right to know components

CAS-No. Revision Date: Magnesium nitrate hexahydrate 13446-18-9 1993-04-24

5-chloro-2-methyl-4-isothiazolin-3-one Magnesium chloride 7786-30-3 2-Methyl-4-isothiazolin-3-one 2682-20-4 2,6-Dimethyl-1,3-dioxan-4-ol acetate 828-00-2

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. Other Information

**Issuing Date** 13-September-2012

Revision Date 30-November-2015

Revision Note No information available

Recommended Restrictions No Restrictions

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in text.